

# Grouting of Karstified Aquifers During Shaft Drilling at Palazu-Mare Iron Ore Deposit

By E.Ja. KIPKO<sup>1</sup>, Yu.A. POLOZOV<sup>1</sup>, Yu.N. SPICHAK<sup>1</sup>, V.A. DONCHENKO<sup>1</sup>

<sup>1</sup>P/A Spetstamponazhgeologia (STG), 349240, Antratsit  
7a Petrovski St., Lugansk Region, U.S.S.R.

## ABSTRACT

The opening of the Palazu-Mare iron ore deposit located 2 km far from the Mamaya resort in Romania, had been designed by three vertical shaft bores from 650 to 1050 m deep. Shaft bores were planned to be drilled from 6.22 to 4.97 m in diameter within the interval of 50-500 m comprising intensively karstified water-bearing rock with predicted inflows to each future shaft of 185 m<sup>3</sup>/min to 200 m<sup>3</sup>/min. The problem consisted in the complexity of preventing lost circulations during shafting the karst zone and providing efficient cementation of casing in water-bearing strata.

Pregrouting programme designed and supervised by STG specialists was undertaken to ensure reliable sealing of karst zones in the shaft RA-1 drilling site. Grouting job was completed in two phases to cut down time period required for shafting. During the first phase rock treatment was performed through one hole drilled from the shaft sump and 3 holes drilled from ground surface in the interval of 50-260 m. During the second phase the interval of 260-500 m was treated through 3 holes drilled from surface with simultaneous shaft drilling up to a depth of 209 m.

As a result, the predicted shaft inflow in the interval of 50-209 m was decreased from 97.87 m<sup>3</sup>/min to 0.015 m<sup>3</sup>/min, or by 6000 times.

The paper deals with major parameters of grouting operations at shaft RA-1 of the Palazu-Mare deposit.

## INTRODUCTION

The iron ore deposit of Palazu-Mare is located in the south-east part of Romania at the coast of the Black Sea between the towns of Constantza and Ovidiu. The deposit was discovered in 1950 during prospecting of magnetic anomaly. Nowadays, the deposit has been prospected in detail and prepared for opening and exploitation.

The encountered rocks are represented by quartzites and amphibolites containing mostly magnetite. They occur as two irregular bodies in proterozoic crystalline rocks at depth of 500-1000 m.

## 96 Kipko et al. - Grouting of Karstified Aquifers During Shaft Drilling at Palazu Mare Iron Ore Deposit

The principal problem in the opening of the deposit is associated with shaft sinking in Jurassic carbonates that form a thick water-bearing layer of a karst-fractured type. Permeability values of the layer amount to 37.8 m/day.

The sinking of deep mine shafts under these severe conditions, both employing conventional drill-and-blast and shaft boring techniques, is a complex technical problem. This entails the development and implementation of a series of measures on installing the high capacity drainage system and employing the special types of shaft lining.

The Romanian specialists and scientists decided to open the deposit by vertical shaft bores taking into account the availability of relevant equipment, technology and great experience within field.

In connection with this, a decision was made to carry out pregrouting of the karst strata in the interval of 60-500 m to enable shafting in cavernous Jurassic carbonates. STG Agency prepared the project report and the grouting program was then supervised by the specialists from STG.

### THEORETICAL PREREQUISITES TO DESIGNING SEALING CURTAIN PARAMETERS IN KARST ROCK

The calculations of sealing curtain parameters around a shaft in karst rock strata were performed according to methodology of STG. The prerequisite for efficient sealing of karst caverns is filling them with stabilized grout on account of providing the stabilized regime of grout flow in an injection pipeline.

The stabilized regime of grout flow is secured by sorting-out the pipeline diameter from a relationship:

$$d_{\max} \leq \frac{4\tau_0 H}{P_g - P_k} \quad (1)$$

where:

- $\tau_0$  - grout dynamic shear strength, MPa;
- $H$  - vertical pipeline section length, m;
- $P_g$  - hydrostatic head of grout column, MPa;
- $P_k$  - groundwater head, MPa.

The optimum flow rate of grout is defined from an equation:

$$q = \frac{\pi d_{\max} L}{4t} \quad (2)$$

where :  $t$  - time required for obtaining the specified value of grout strength, s;

- L - overall length of injection pipeline, m;  
 q - grout flow rate, m<sup>3</sup>/s.

Theoretical and experimental studies undertaken in STG showed that during grouting of karst rocks the size and strength parameters of a sealing curtain around a shaft were defined not by maximum size of karstic acvities but by the size of their "overclutches". For the environment of the Palazu-Mare deposit the value of the overclutch was defined equal to 0.7 m.

The required size of a sealing curtain around a shaft is calculated upon the stability of grout in the zones of overclutches of karstic channels,

$$R = \frac{\alpha \delta_{ekv} \cdot P_k}{2[P_m]} \quad (3)$$

- where:  $\alpha$  - safety factor of curtain strength;  
 $\delta_{ekv}$  - overclutch value of karstic channels, m;  
 $P_k$  - groundwater head, MPa;  
 $(P_m)$  - grout plastic strength, MPa

### GROUT FORMULATION

A complex of laboratory studies with regard to hydrodynamic and geotechnical conditions undertaken in STG resulted in the development clay-cement formulation.

Clays encountered in the Medjidia Deposit and Medjidia clay powder manufactured by a plant of the same name were tested as a basic grout constituent.

All in all there were developed 5 formulations of grout: two formulations based upon clay powder, cement and sodium silicate, one formulation based upon clay raw clay, cement and sodium silicate, one formulation based upon clay powder, fly ash, cement and sodium silicate and one formulation based upon raw clay, fly ash, cement and sodium silicate.

The grout formulation based upon clay powder was applied during implementation of the grouting program as the most satisfactory mix in its strength parameters for the hydrogeological environment of treated rocks.

The grout formulation is as follows:

- Medjidia clay powder - 442-474 kg/m<sup>3</sup>,
- cement PA-35 - 100 kg/m<sup>3</sup>,
- sodium silicate - 10 kg/m<sup>3</sup>,
- water - 826-838 kg/m<sup>3</sup>.

## 98 Kipko et al. - Grouting of Karstified Aquifers During Shaft Drilling at Palazu Mare Iron Ore Deposit

Table 1. Principal parameters of the grout.

Parameters	Unit	Value
Density	kg/m <sup>3</sup>	1340 + 1360
Static Shear Strength	Pa	86.5 + 92.0
Dynamic Shear Strength	Pa	135.8 + 166.0
Plastic Strength		
after 1 min	kPa	0.19 + 0.32
after 10 days	kPa	167.9 + 301.2
Allowable Plastic Strength	kPa	26.1
Structural Viscosity	Pa.s	(73.2 + 107.2).10 <sup>-3</sup>

### DESIGN SOLUTIONS ON GROUTING

During design of the grouting program for the shaft RA-1 of the Palazu-Mare Deposit the following issues were solved:

- hydrogeological characteristics of the treated layers were defined;
- grout mix and injection process patterns were developed;
- grout curtain emplacement parameters around RA-1 shaft were calculated (cover size in each zone, number of boreholes, grout injection volumes and regimes).

### THE PROBLEM OF SHAFT BORING AT THE PALAZU-MARE DEPOSIT

Shaft boring in karstified and water-bearing rock strata has a number of problems. The principal ones are associated with lost circulations of mud and collapse shaft bore walls. Moreover, it is very difficult to provide a reliable cementation of casing due to inevitable losses of cement grout.

The first phase for opening the Palazu-Mare deposit involved drilling of 3 vertical exploration shafts at the north-west (shafts RA-1 and RS-1) and at the south-east (shaft RA-2) flanks of the deposit with a designed depth of 650 m (RA-1) and 1050 m (RS-1 and RA-2), and also drifting of exploration workings.

The first shaft RA-1 designed for opening the deposit had initially a complex design (Fig. 1) according to which it was planned to install an intermediate casing column of 5160 mm dia. in the interval of 0-250 m. The casing was to overlap the most incompetent intensively karstified permeable zone of 110-210 m. Shaft drilling was carried out by shaft drilling rig type T-400 manufactured in Romania.

During the first half of 1986 the F-400 drilling rig was assembled over the RA-1 shaft site and the foreshaft with finished dia. of 6.4 m was drilled to a depth of 45 m. Then, a pilot borehole was drilled from the shaft sump within the shaft axis and up to a depth of 140 m

## **Kipko et al. - Grouting of Karstified Aquifers During Shaft Drilling at Palazu Mare Iron Ore Deposit 99**

employing the use of the f-400 rig. From a depth of 60 m the drilling of the pilot borehole proceeded under full lost circulation and was accompanied by rock cavings and stuck rods. During the course of drilling there were traversed karstic cavities 3+3.5 m thick at a depth of 110-115 m. At a depth of 140 m the drill string got stuck and further drilling of the pilot hole was stopped. The drilling program results showed that shaftsinking of the RA-1 shaft under such conditions would be impossible without preliminary specialist programs on sealing and strengthening the karst strata.

The grouting operations of the II phase were designed to be performed also through 3 inclined 500 m deep boreholes drilled from the ground surface.

### **GROUTING OPERATIONS**

A special high-capacity grouting plant was designed and constructed at the shaft RA-1 comprising:

- automated storages for clay powder and cement;
- centrifugal pumps for water;
- slurry pumps type 2PN-1200 for clay slurry;
- storage tanks for clay slurry;
- metal tanks.

Grouting operations of the I phase for implacing the grouting curtain in the zone of 60-260 m were performed through 4 boreholes. Hole No. 1 was drilled from the sump of the RA-1 shaft and boreholes 2+4 from the ground surface. The borehole No. 5 was employed for separate zones of the I phase.

Drilling of the borehole No. 1 was carried out by the Romanian drilling rig F-400. The boreholes 2+4 were drilled by the Soviet rigs 1BA-15H.

Prior to grout injection operations a program of geophysical logging and hydrodynamic testing was undertaken to define accurately the interval of karstic permeable zones and their hydraulic properties;

- caliper logging;
- inclinometer logging;
- electrical logging and radioactivity logging;
- acoustic logging;
- TV-acoustic logging;
- flowmetering logging applying packers;
- pressure build-up testing.

The program of investigations contributed to establishing the following:

- spacing, quantity, size and occurrence of karstic caverns and large fissures;
- permeability of separate karstic zones;
- full and effective voidage of rocks;
- physico-mechanical properties;
- ground water chemistry.

## 100 Kipko et al. - Grouting of Karstified Aquifers During Shaft Drilling at Palazu Mare Iron Ore Deposit

Borehole investigations showed that the actual hydrogeologic conditions of the site were more complex in comparison with the results of geological prospecting that were used during the preparation of the project report.

The staff from STG supervising the grouting program introduced the necessary corrections into the program parameters.

The actual volumen and technological parameters of the I phase are presented in Table 3.

The overall volume of grout in the first phase program totalled to 29.905 m<sup>3</sup>.

Quality control testing showed that a reliable circular sealing curtain was placed around the shaft in the interval of 60-260 m that will ensure shaft sinking and allow considerable simplification of the shaft design owing to the elimination of the intermediate 3160 mm dia. casing and sharply decrease the cost of shaft sinking.

Upon the completion of the I phase of grouting operations, the sinking shaft RA-1 was performed. Simultaneously, the grouting operations of the II phase were carried out. This involved drilling of boreholes No. 6 and No. 7 to a depth of 310 m and injection of 2520 m<sup>3</sup> of grout in the interval of 260-310 m. Nevertheless, all further activities on opening the Palazu-Mare deposit were terminated in 1990 due to changes occurred in the investment policy of mining industry in Romania. By this time the shaft RA-1 has been successfully sunk to a depth of 209 m, the loss of drilling mud at this depth was only 0.015 m<sup>3</sup>/min.

### CONCLUSIONS

The grouting program for the RA-1 shaft of the Palazu-Mare deposit resulted in the following.

1. High efficiency the Integrated Grouting Technique in karstic environment has been proved.
2. Permeability of water-bearing rocks has been decreased on average by 6000 times in the interval of 60-260 m.
3. The sinking of shaft RA-1 up to a depth of 209 m has been successfully performed without any complications generated by lost circulation or collapse of borehole walls.
4. The Integrated Grouting Technique may be efficiently applied to resolve geotechnical problems during construction of the electric power station Ombla, Horvatija.

# Kipko et al. - Grouting of Karstified Aquifers During Shaft Drilling at Palazu Mare 101 Iron Ore Deposit

**Table 2.** Design Parameters of Grouting Curtain Formulation

Permeable Zones, m	M, m	K, $10^{-12}m^2$	R, m	r, m	$m_v$ , $10^{-2}$	V, $m^3$	N	V, $m^3$
60-110	50	18.5	15.0	14	2.6	800	3	2400
110-145	35	18.5	15.0	14	2.6	560	3	1680
145-148	3	-	26.9	15	100.0	2120	3	6360
148-160	12	18.5	15.0	14	2.6	195	3	585
160-210	50	8.0	15.0	14	2.0	615	3	1845
210-260	50	8.0	15.0	14	2.0	615	3	1845
260-310	50	43.8	15.0	14	3.4	1050	3	3150
310-360	50	3.6	15.0	14	1.6	495	3	1485
360-410	50	24.3	15.0	14	2.8	865	3	2595
410-460	50	13.4	15.0	14	2.4	740	3	2220
460-500	40	1.2	15.0	14	1.0	250	3	750
Total								24920

## Symbol definition:

- M - grouting zone thickness,
- K - permeability,
- R - grout curtain size around a shaft,
- r - grout spread radius from a separate injection hole,
- $m_v$  - voidage,
- V - grout injection volume in a separate hole,
- N - number of grouting boreholes,
- V - subtotal volume of grout.



## 102 Kipko et al. - Grouting of Karstified Aquifers During Shaft Drilling at Palazu Mare Iron Ore Deposit

Table 3. Phase I Volumes and Technological Parameters

Grouting Interval, m	Grouting Holes									
	1		2		3		4		5	
	V	$P_i/P_r$	V	$P_i/P_r$	V	$P_i/P_r$	V	$P_i/P_r$	V	$P_i/P_r$
60-77	936	55/15	304	70/45	278	80/15	365	70/50	-	-/-
77-110	1078	100/50	1132	65/30	1221	120/70	1296	110/60	-	-/-
114-145	1680	70/25	2112	120/30	1614	100/70	1748	120/70	-	-/-
145-165	510	100/60	643	100/70	635	100/40	480	100/70	370	40/15
165-210	185	80/50	2276	80/50	2398	70/40	2342	110/70	1091	70/40
210-260	-	-/-	1446	70/40	1765	100/55	1830	120/60	168	60/20

Symbol definition:

V - grout volume, m<sup>3</sup>,

$P_i$  - injection pressure, kg/cm<sup>2</sup>,

$P_r$  - residual injection pressure, kg/cm<sup>2</sup>.



# Kipko et al. - Grouting of Karstified Aquifers During Shaft Drilling at Palazu Mare 103 Iron Ore Deposit




Figure 1. RA-1 Shaft Bore Design  
Palazu-Mare Deposit, Romania




Figure 2. Schematic View of Grouting Holes Arrangement Palazu-Mare Deposit, Romania